

Ionization Labs: VERISEAL Certification of Analysis



Share

Results

labservices@ionizationlabs.com | 737.231.0772

Prepared For:

Rippled Leaf Farms

How to Authenticate

Get CERTUS® App
by scanning QR
 Using CERTUS®
app scan special
VERISEAL QR



VERISEAL Certificate of

Analysis

DOWNLOAD CERTUS® APP

If COA results do not match results in CERTUS®
Authenticity please contact lab listed in CERTUS®



△ D 9 D 4 C R D H 4

SCAN WITH CERTUS® APP

Sample Information

Test Date	Mar 9th, 2023, 03:00 PM	Sample Type	Edible
Sample/Strain Name	Mango Seltzer	IL Unique ID	ILCTS2532
Lot# / Batch ID	Batch 1	Unit Weight (g)	340.194
Analyst Name	Enrique Orci	Reviewer Name	Victoria Hunt
Analyst Signature	Envigue Oxi II	Reviewer Signature	Victoria Hunt
Sample Description	Colorless seltzer		
Note	12oz=340.194g		


Cannabinoid Potency and Profile

Cannabinoid	Result (%)	Result (mg/g)	mg/12oz
CBDV	N/D	N/D	N/D
CBDVA	N/D	N/D	N/D
THCV	N/D	N/D	N/D
CBD	0.00122%	0.0122	4.15
CBG	0.00100%	0.0100	3.40
CBDA	N/D	N/D	N/D
CBGA	N/D	N/D	N/D
CBN	N/D	N/D	N/D
THCD9	0.00139%	0.0139	4.73
THCD8	N/D	N/D	N/D
CBC	N/D	N/D	N/D
CBNA	N/D	N/D	N/D
THCA	N/D	N/D	N/D
CBCA	N/D	N/D	N/D
Total	0.00361%	0.0361	12.28



Total THC %	0.00139%
Total THC mg/12oz	4.73
Total CBD %	0.00122%
Total CBD mg/12oz	4,15
mg/12oz	4,15

LOQ for Analytes: 0.00049%



THC Total = % of THCD9 + (% of THCA x 0.877), CBD Total = % of CBD + (% of CBDA x 0.877), CBD Total = % of CBD + (% of CBDA x 0.877), CBD Total = % of CBD + (% of CBDA x 0.878), CBN Total = % of CBNA x 0.876), CBC Total = % of CBC + (% of CBCA x 0.877), CBD Total = % of CBDV + (% of CBNA x 0.876), CBC Total = % of CBDV + (% of CBNA x 0.876), CBC Total = % of CBC + (% of CBCA x 0.877), CBD Total = % of CBDV + (% of CBNA x 0.876), CBC Total = % of CBC + (% of CBCA x 0.877), CBD Total = % of CBDV + (% of CBNA x 0.876), CBC Total = % of CBC + (% of CBCA x 0.877), CBD Total = % of CBDV + (% of CBNA x 0.876), CBC Total = % of CBC + (% of CBCA x 0.877), CBD Total = % of CBDV + (% of CBNA x 0.876), CBC Total = % of CBC + (% of CBCA x 0.877), CBD Total = % of CBDV + (% of CBNA x 0.876), CBC Total = % of CBC + (% of CBCA x 0.877), CBD Total = % of CBDV + (% of CBNA x 0.876), CBC Total = % of CBC + (% of CBCA x 0.877), CBD Total = % of CBDV + (% of CBNA x 0.876), CBC Total = % of CBC + (% of CBCA x 0.877), CBD Total = % of CBC + (% of CBCA x 0.877), CBD Total = % of CBDV + (% of CBNA x 0.876), CBC Total = % of CBC + (% of CBCA x 0.877), CBD Total = % of CBC + (% of CBCA x 0.877), CBC Total = % of CBC + (% of CBCA x 0.877), CBC Total = % of CBC + (% of CBCA x 0.877), CBC Total = % of CBC + (% of CBCA x 0.877), CBC Total = % of CBC + (% of CBCA x 0.877), CBC Total = % of CBC + (% of CBCA x 0.877), CBC Total = % of CBC + (% of CBCA x 0.877), CBC Total = % of CBC + (% of CBCA x 0.877), CBC Total = % of CBC + (% of CBCA x 0.877), CBC Total = % of CBC + (% of CBCA x 0.877), CBC Total = % of CBC + (% of CBCA x 0.877), CBC Total = % of CBC + (% of CBCA x 0.877), CBC Total = % of CBC + (% of CBCA x 0.877), CBC Total = % of CBC + (% of CBCA x 0.877), CBC Total = % of CBC + (% of CBCA x 0.877), CBC Total = % of CBC + (% of CBCA x 0.877), CBC Total = % of CBC + (% of CBCA x 0.877), CBC Total = % of CBCA x 0

Testing results are based solely upon the samples submitted to lonization Labs, LLC. Ionization Labs warrants that all analytical work is conducted in accordance with all applicable standard laboratory practices using validated methods. This report may not be reproduced without the written consent of Ionization Labs.

DEA Registered Lab #RI0614342 | ISO 17025 Accredited A2LA Certificate #: 5756.01